





BRINK
Upholstery fabrics


 **svensson**



40




50




52




92




99




3008




3050




3072



3208




3418




3516



3780




4326




4344




4345




4526



4533



4736



5444



5534

BRINK

Upholstery fabrics

Width: 140 cm

Weight: 330 g/m²

Material: Wool 85%
Polyamid 15%

Color fastness:

Against dry rubbing according to

EN ISO 105-X12:

- 4-5 (Scale 1-5)

Against light according to EN ISO
105-B02

- 5-7 (Scale 1-8)

Against wet rubbing according to

EN ISO 105-X12:

- 3-4 (Scale 1-5)

Abrasion resistance:

Martindale (According to EN ISO
12947-2):

- 100000 rubs

Flame retardancy:

- TB 117

- IMO FTP Code Part 8 (IMO Res.

A.652 (16)

Care instructions:



For further information:


Svensson
511 82 Kinna, Sweden

T: +46 320 20 92 00


F: +46 320 21 10 10

E: info@ludvigsvensson.com






5727




5836




5927




6427




6718



6730



6836



8200



8400

BRINK

Upholstery fabrics

Width: 140 cm
Weight: 330 g/m²
Material: Wool 85%
 Polyamid 15%

Color fastness:
Against dry rubbing according to EN ISO 105-X12:
 - 4-5 (Scale 1-5)
Against light according to EN ISO 105-B02
 - 5-7 (Scale 1-8)
Against wet rubbing according to EN ISO 105-X12:
 - 3-4 (Scale 1-5)

Abrasion resistance:
Martindale (According to EN ISO 12947-2):
 - 100000 rubs

Flame retardancy:
 - TB 117
 - IMO FTP Code Part 8 (IMO Res. A.652 (16))

Care instructions:



For further information:

Svensson
 511 82 Kinna, Sweden

T: +46 320 20 92 00
 F: +46 320 21 10 10
 E: info@ludvigsvensson.com

