



HARPER
Upholstery fabrics



3034



3070



3122



3325



3335



3522



3540



3671




4332



4344



4422



4520



4533




4621




4652



5431



5471



5851



5921



6333

HARPER

Upholstery fabrics

Design by: Johanna de Ru
Width: 140 cm
Weight: 365 g/m²
Material: Trevira CS 100%
Shrinkage: 2 %

Color fastness:
Against dry rubbing according to EN ISO 105-X12:
 - 4-5 (Scale 1-5)
Against light according to EN ISO 105-B02
 - 5-7 (Scale 1-8)
Against wet rubbing according to EN ISO 105-X12:
 - 3-4 (Scale 1-5)

Abrasion resistance:
Martindale (According to EN ISO 12947-2):
 - 85000 rubs

Flame retardancy:
 - DIN 4102-1 B1- IMO FTP Code 2010:
 - IMO FTP Code 2010: Part 8
 - NF P 92 503-507, M1
 - BS 5852 Crib 5
 - UNI 9175, 1 IM
 - EN 13501-1, B-s1, d0
 - TB 117
 - NFPA 260
 - SN 198898
 - BS 5867-2 Type B

Care instructions:



Certificates:



For further information:

Svensson
 511 82 Kinna, Sweden

T: +46 320 20 92 00
 F: +46 320 21 10 10
 E: info@ludvigsvensson.com





6452



6625



6632



6861



6931

HARPER

Upholstery fabrics

Design by: Johanna de Ru
Width: 140 cm
Weight: 365 g/m²
Material: Trevira CS 100%
Shrinkage: 2 %

Color fastness:
Against dry rubbing according to EN ISO 105-X12:
 - 4-5 (Scale 1-5)
Against light according to EN ISO 105-B02
 - 5-7 (Scale 1-8)
Against wet rubbing according to EN ISO 105-X12:
 - 3-4 (Scale 1-5)

Abrasion resistance:
Martindale (According to EN ISO 12947-2):
 - 85000 rubs

Flame retardancy:
 - DIN 4102-1 B1- IMO FTP Code 2010:
 - IMO FTP Code 2010: Part 8
 - NF P 92 503-507, M1
 - BS 5852 Crib 5
 - UNI 9175, 1 IM
 - EN 13501-1, B-s1, d0
 - TB 117
 - NFPA 260
 - SN 198898
 - BS 5867-2 Type B

Care instructions:



Certificates:



For further information:

Svensson
 511 82 Kinna, Sweden

T: +46 320 20 92 00
 F: +46 320 21 10 10
 E: info@ludvigsvensson.com

