




HELLO
Upholstery fabrics


 **svensson**




3062



3125



3326




3363



3544




3733




4271




4362




4443



4452



4461




4534



4644




4845



5041




5345



5672



5744



5931



6144

HELLO

Upholstery fabrics

Bredd: 140 cm**Vikt:** 280 g/m²**Material:** Trevira CS 100%**Krympning:** 2 %**Färghårdighet:**

Mot gnidning torr enligt EN ISO 105-X12:

- 4 (Skala 1-5)

Mot ljus enligt EN ISO 105-B02

- 5-7 (Skala 1-8)

Mot gnidning våt enligt EN ISO 105-X12:

- 3-4 (Skala 1-5)

Nötning:

Martindale (Enligt EN ISO 12947-2):

- 50000 varv

Svårantändlighet:

- EN ISO 1021 1, 2- DIN 4102-1

B1- IMO FTP Code 2010:

- DIN 4102-1 B1

- IMO FTP Code 2010: Part 8

- BS 5852 crib 5

- NF P 92-503-507, M1

- UNI 9175, 1 IM

- SN 198898

- NFPA 260

- EN 13501-1, B-s1 d0


Skötselanvisning:**For further information:**Svensson
511 82 Kinna, Sweden

T: +46 320 20 92 00


F: +46 320 21 10 10

E: info@ludvigsvensson.com







6442




6453




6530




6540




6570



6621




6631




6634




6662



6740




6742




6760




6943




8200




8300




8400




8500



8550



8700



8900

HELLO

Upholstery fabrics

Bredd: 140 cm

Vikt: 280 g/m²

Material: Trevira CS 100%

Krympning: 2 %

Färghårdighet:

Mot gnidning torr enligt EN ISO 105-X12:

- 4 (Skala 1-5)

Mot ljus enligt EN ISO 105-B02

- 5-7 (Skala 1-8)

Mot gnidning våt enligt EN ISO 105-X12:

- 3-4 (Skala 1-5)

Nötning:

Martindale (Enligt EN ISO 12947-2):

- 50000 varv

Svårantändlighet:

- EN ISO 1021 1, 2- DIN 4102-1

B1- IMO FTP Code 2010:

- DIN 4102-1 B1

- IMO FTP Code 2010: Part 8

- BS 5852 crib 5

- NF P 92-503-507, M1

- UNI 9175, 1 IM

- SN 198898

- NFPA 260

- EN 13501-1, B-s1 d0

Skötselanvisning:



For further information:

Svensson
511 82 Kinna, Sweden

T: +46 320 20 92 00

F: +46 320 21 10 10

E: info@ludvigsvensson.com

