




LANE
Upholstery fabrics


 **svensson**




3050



3326



3333



3444



3750



3871



4220



4332



4421




4471




4540



4551




4651



4661




5052




5061




5071



5421



5632



6071

LANE Upholstery fabrics

Width: 140 cm

Weight: 350 g/m²

Material: Wool 100%

Color fastness:

Against dry rubbing according to EN ISO 105-X12:

- ≥ 4 (Scale 1-5)

Against light according to EN ISO 105-B02

- ≥ 5-7 (Scale 1-8)

Against wet rubbing according to EN ISO 105-X12:

- ≥ 3-4 (Scale 1-5)

Abrasion resistance:

Martindale (According to EN ISO 12947-2):

- 50000 rubs

Flame retardancy:

- IMO FTP Code Part 8

Care instructions:



For further information:


Svensson
511 82 Kinna, Sweden

T: +46 320 20 92 00


F: +46 320 21 10 10

E: info@ludvigsvensson.com







6320



6471



6560



6732



6740



6831



6934



6952



8400



8500

LANE

Upholstery fabrics

Width: 140 cm

Weight: 350 g/m²

Material: Wool 100%

Color fastness:

Against dry rubbing according to EN ISO 105-X12:

- ≥ 4 (Scale 1-5)

Against light according to EN ISO 105-B02

- ≥ 5-7 (Scale 1-8)

Against wet rubbing according to EN ISO 105-X12:

- ≥ 3-4 (Scale 1-5)

Abrasion resistance:

Martindale (According to EN ISO 12947-2):

- 50000 rubs

Flame retardancy:

- IMO FTP Code Part 8

Care instructions:



For further information:

Svensson
511 82 Kinna, Sweden

T: +46 320 20 92 00

F: +46 320 21 10 10

E: info@ludvigsvensson.com

