






MOSS
Upholstery fabrics




3018



3072



3108




3118




3227




3418




3518



3645




3726




3945




4326



4345




4454



4671




4724



4825



5827



5835



6054



6434

MOSS

Upholstery fabrics

Width: 140 cm

Weight: 465 g/m²

Material: Wool 85%
Polyamid 15%

Color fastness:

Against dry rubbing according to

EN ISO 105-X12:

- 4-5 (Scale 1-5)

Against light according to EN ISO

105-B02

- 5-7 (Scale 1-8)

Against wet rubbing according to

EN ISO 105-X12:

- 3-4 (Scale 1-5)

Abrasion resistance:

Martindale (According to EN ISO

12947-2):

- 120000 rubs

Flame retardancy:

- BS 5852 Crib 5

- Moss UNI 9175, 1 IM

- TB 117

- IMO FTP Code Part 8

- UNI 9175, 1 IM

Care instructions:



For further information:


Svensson
511 82 Kinna, Sweden

T: +46 320 20 92 00

F: +46 320 21 10 10

E: info@ludvigsvensson.com







6618




6721




6871



8300




8400



8600



8700



8900

MOSS

Upholstery fabrics

Width: 140 cm

Weight: 465 g/m²

Material: Wool 85%
Polyamid 15%

Color fastness:

*Against dry rubbing according to
EN ISO 105-X12:*
- 4-5 (Scale 1-5)

*Against light according to EN ISO
105-B02*
- 5-7 (Scale 1-8)

*Against wet rubbing according to
EN ISO 105-X12:*
- 3-4 (Scale 1-5)

Abrasion resistance:

*Martindale (According to EN ISO
12947-2):*
- 120000 rubs

Flame retardancy:

- BS 5852 Crib 5
- Moss UNI 9175, 1 IM
- TB 117
- IMO FTP Code Part 8
- UNI 9175, 1 IM

Care instructions:



For further information:

Svensson
511 82 Kinna, Sweden

T: +46 320 20 92 00
F: +46 320 21 10 10
E: info@ludvigsvensson.com

