




**RAMI**  
Möbelstoff



3022



3027



3030



3072



3124



3145



3318



3536



3622



3651



3726



3863



4342




4345



4380



4454



4625



4642



4745



4831

## RAMI Möbelstoff

**Breite:** 140 cm  
**Gewicht:** 600 G/M<sup>2</sup>  
**Material:** Wolle 80%  
Rami 20%

**Color fastness:**

*Against dry rubbing according to EN ISO 105-X12:*  
- 4 (Scale 1-5)  
*Gegen Licht nach EN ISO 105-B02*  
- 5-7 (Skala 1-8)  
*Against wet rubbing according to EN ISO 105-X12:*  
- 3-4 (Scale 1-5)

**Scheuerfestigkeit:**

*Martindale (Nach: EN ISO 12947-2):*  
- 70000 Touren

**Schwerentflammbarkeit:**

- BS 5852 Crib 5  
- UNI 9175, 1 IM  
- TB 117  
- IMO FTP Code Part 8 (IMO Res. A.652 (16))

**Wartungsanweisungen:**




**For further information:**

Svensson  
511 82 Kinna, Sweden

T: +46 320 20 92 00  
F: +46 320 21 10 10  
E: info@ludvigsvensson.com





4861



5028



5872



5936



6054



6072




6165



6331



6336



6370



6380



6636




6727




6810




6918




6972




8200



8500



8700



8900

## RAMI Möbelstoff

**Breite:** 140 cm

**Gewicht:** 600 G/M<sup>2</sup>

**Material:** Wolle 80%  
Rami 20%

**Color fastness:**

*Against dry rubbing according to*

*EN ISO 105-X12:*

- 4 (Scale 1-5)

*Gegen Licht nach EN ISO 105-B02*

- 5-7 (Skala 1-8)

*Against wet rubbing according to*

*EN ISO 105-X12:*

- 3-4 (Scale 1-5)

**Scheuerfestigkeit:**

*Martindale (Nach: EN ISO 12947-2):*

- 70000 Touren

**Schwerentflammbarkeit:**

- BS 5852 Crib 5

- UNI 9175, 1 IM

- TB 117

- IMO FTP Code Part 8 (IMO Res.

A.652 (16))

**Wartungsanweisungen:**



**For further information:**

Svensson  
511 82 Kinna, Sweden

T: +46 320 20 92 00

F: +46 320 21 10 10

E: info@ludvigsvensson.com

