






ROCK
Upholstery fabrics



3072



3227



3252




3332




3427



3451




3461




4343



4352




4380




4436




4451




4471




4472




4654



5051




5251



5345



5360



6036

ROCK

Upholstery fabrics

Width: 140 cm
Weight: 300 g/m²
Material: Wool 85%
 Polyamid 15%

Color fastness:
Against dry rubbing according to EN ISO 105-X12:
 - 4 (Scale 1-5)
Against light according to EN ISO 105-B02
 - 5-7 (Scale 1-8)
Against wet rubbing according to EN ISO 105-X12:
 - 3-4 (Scale 1-5)

Abrasion resistance:
Martindale (According to EN ISO 12947-2):
 - 50000 rubs

Flame retardancy:
 - EN 1021-1, 2- IMO FTP Code 2010:
 - IMO FTP Code 2010: Part 8

Care instructions:




For further information:


Svensson
 511 82 Kinna, Sweden

T: +46 320 20 92 00
 F: +46 320 21 10 10
 E: info@ludvigsvensson.com







6045




6242



6360




6453




6562




6572



6645



6745



6755



6760

ROCK

Upholstery fabrics

Width: 140 cm
Weight: 300 g/m²
Material: Wool 85%
 Polyamid 15%

Color fastness:
Against dry rubbing according to EN ISO 105-X12:
 - 4 (Scale 1-5)
Against light according to EN ISO 105-B02
 - 5-7 (Scale 1-8)
Against wet rubbing according to EN ISO 105-X12:
 - 3-4 (Scale 1-5)

Abrasion resistance:
Martindale (According to EN ISO 12947-2):
 - 50000 rubs

Flame retardancy:
 - EN 1021-1, 2- IMO FTP Code 2010:
 - IMO FTP Code 2010: Part 8

Care instructions:



For further information:

Svensson
 511 82 Kinna, Sweden

T: +46 320 20 92 00
 F: +46 320 21 10 10
 E: info@ludvigsvensson.com

