




SEMI
Upholstery fabrics

 **svensson**



3124



3227



3363



3418



3436



3481



3554



3622



4342



4363




4424



4432



4570



4572



4852



4863



5042



5572



5663



5745

SEMI

Upholstery fabrics

Width: 140 cm
Weight: 330 g/m²
Material: Wool 85%
 Polyamid 15%

Color fastness:
Against dry rubbing according to EN ISO 105-X12:
 - ≥ 4 (Scale 1-5)
Against light according to EN ISO 105-B02
 - ≥ 5-7 (Scale 1-8)
Against wet rubbing according to EN ISO 105-X12:
 - ≥ 3-4 (Scale 1-5)

Abrasion resistance:
Martindale (According to EN ISO 12947-2):
 - 100000 rubs

Flame retardancy:
 - EN ISO 1021 part 1, 2- BS 5852
 Crib 5- IMO FTP Code 2010:
 - BS 5852 Crib 5
 - IMO FTP Code 2010: Part 8
 - UNI 9175, 1 IM
 - TB 117

Care instructions:



For further information:


Svensson
 511 82 Kinna, Sweden

T: +46 320 20 92 00
 F: +46 320 21 10 10
 E: info@ludvigsvensson.com





5925



6081



6145



6431



6434



6536



6623



6661



6727



6745



6750



6752



6918



6936




6963



8400



8500



8600



8700



8900

SEMI Upholstery fabrics

Width: 140 cm

Weight: 330 g/m²

Material: Wool 85%
Polyamid 15%

Color fastness:

Against dry rubbing according to
EN ISO 105-X12:
- ≥ 4 (Scale 1-5)

Against light according to EN ISO
105-B02

- ≥ 5-7 (Scale 1-8)

Against wet rubbing according to
EN ISO 105-X12:

- ≥ 3-4 (Scale 1-5)

Abrasion resistance:

Martindale (According to EN ISO
12947-2):

- 100000 rubs

Flame retardancy:

- EN ISO 1021 part 1, 2- BS 5852

Crib 5- IMO FTP Code 2010:

- BS 5852 Crib 5

- IMO FTP Code 2010: Part 8

- UNI 9175, 1 IM

- TB 117

Care instructions:



For further information:

Svensson
511 82 Kinna, Sweden

T: +46 320 20 92 00

F: +46 320 21 10 10

E: info@ludvigsvensson.com

