

**TONE**  
Upholstery fabrics


 **svensson**



3221



3231




3263



3345



4210



4220



4321




4325



4326



4331




4353



4363



4431



4441



4550



4560



4621



4631



5261



5272

## TONE Upholstery fabrics

**Width:** 140 cm

**Weight:** 280 g/m<sup>2</sup>

**Material:** Trevira CS 100%

**Color fastness:**

Against dry rubbing according to EN ISO 105-X12:

- 4 (Scale 1-5)

Against light according to EN ISO 105-B02

- 5-7 (Scale 1-8)

Against wet rubbing according to EN ISO 105-X12:

- 3-4 (Scale 1-5)

**Abrasion resistance:**

Martindale (According to EN ISO 12947-2):

- 50000 rubs

**Flame retardancy:**

- EN 1021-1, 2- DIN 4102-1 B1-

IMO FTP Code 2010:

- DIN 4102-1 B1

- IMO FTP Code 2010: Part 8

- NFP 92-503-507 M1

- BS 5852 Crib 5

- UNI 9175, 1IM

- EN 13501-1, B-s1, d0

- SN 198898

- NFPA 260

**Care instructions:**



**For further information:**

Svensson  
511 82 Kinna, Sweden

T: +46 320 20 92 00

F: +46 320 21 10 10

E: info@ludvigsvensson.com






5611



5631



6065



6075



6253




6263



6535



6540



6550



6552




6572



6632



6642



6731



6740




6844



6853



8800



8900

## TONE

### Upholstery fabrics

**Width:** 140 cm

**Weight:** 280 g/m<sup>2</sup>

**Material:** Trevira CS 100%

**Color fastness:**

Against dry rubbing according to EN ISO 105-X12:

- 4 (Scale 1-5)

Against light according to EN ISO 105-B02

- 5-7 (Scale 1-8)

Against wet rubbing according to EN ISO 105-X12:

- 3-4 (Scale 1-5)

**Abrasion resistance:**

Martindale (According to EN ISO 12947-2):

- 50000 rubs

**Flame retardancy:**

- EN 1021-1, 2- DIN 4102-1 B1-

IMO FTP Code 2010:

- DIN 4102-1 B1

- IMO FTP Code 2010: Part 8

- NFP 92-503-507 M1

- BS 5852 Crib 5

- UNI 9175, 1IM

- EN 13501-1, B-s1, d0

- SN 198898

- NFPA 260

**Care instructions:**



**For further information:**

Svensson  
511 82 Kinna, Sweden

T: +46 320 20 92 00

F: +46 320 21 10 10

E: info@ludvigsvensson.com

