

**TONE**  
Upholstery fabrics


 **svensson**




3221



3231




3263



3345



4210



4220



4321




4325




4326




4331




4353




4363




4431




4441




4550




4560



4621



4631



5261



5272

## TONE

### Upholstery fabrics

**Bredd:** 140 cm  
**Vikt:** 280 g/m<sup>2</sup>  
**Material:** Trevira CS 100%

**Färghärdighet:**  
*Mot gnidning torr enligt EN ISO 105-X12:*  
 - 4 (Skala 1-5)  
*Mot ljus enligt EN ISO 105-B02*  
 - 5-7 (Skala 1-8)  
*Mot gnidning våt enligt EN ISO 105-X12:*  
 - 3-4 (Skala 1-5)

**Nötning:**  
*Martindale (Enligt EN ISO 12947-2):*  
 - 50000 varv

**Svårantändlighet:**  
 - EN 1021-1, 2- DIN 4102-1 B1-  
 IMO FTP Code 2010:  
 - DIN 4102-1 B1  
 - IMO FTP Code 2010: Part 8  
 - NFP 92-503-507 M1  
 - BS 5852 Crib 5  
 - UNI 9175, 1IM  
 - EN 13501-1, B-s1, d0  
 - SN 198898  
 - NFPA 260

#### Skötselansvisning:



#### For further information:

Svensson  
 511 82 Kinna, Sweden  
 T: +46 320 20 92 00  
 F: +46 320 21 10 10  
 E: info@ludvigsvensson.com






5611




5631



6065



6075



6253




6263



6535




6540




6550



6552



6572



6632



6642



6731




6740




6844



6853



8800



8900

## TONE

### Upholstery fabrics

**Bredd:** 140 cm  
**Vikt:** 280 g/m<sup>2</sup>  
**Material:** Trevira CS 100%

**Färghärdighet:**  
 Mot gnidning torr enligt EN ISO 105-X12:  
 - 4 (Skala 1-5)  
 Mot ljus enligt EN ISO 105-B02  
 - 5-7 (Skala 1-8)  
 Mot gnidning våt enligt EN ISO 105-X12:  
 - 3-4 (Skala 1-5)

**Nötning:**  
 Martindale (Enligt EN ISO 12947-2):  
 - 50000 varv

**Svårantändlighet:**  
 - EN 1021-1, 2- DIN 4102-1 B1-  
 IMO FTP Code 2010:  
 - DIN 4102-1 B1  
 - IMO FTP Code 2010: Part 8  
 - NFP 92-503-507 M1  
 - BS 5852 Crib 5  
 - UNI 9175, 1IM  
 - EN 13501-1, B-s1, d0  
 - SN 198898  
 - NFPA 260

#### Skötselansvisning:



#### For further information:

Svensson  
 511 82 Kinna, Sweden  
 T: +46 320 20 92 00  
 F: +46 320 21 10 10  
 E: info@ludvigsvensson.com

