


3124



3227




3363



3418




3436




3481



3554



3622




4342



4363




4424



4432



4570



4572




4852



4863



5042



5572



5663



5745

## SEMI Möbelstoff

**Breite:** 140 cm  
**Gewicht:** 330 G/M<sup>2</sup>  
**Material:** Wolle 85%  
 Polyamid 15%

**Color fastness:**  
*Against dry rubbing according to*  
*EN ISO 105-X12:*  
 - ≥ 4 (Scale 1-5)  
*Gegen Licht nach EN ISO 105-B02*  
 - ≥ 5-7 (Skala 1-8)  
*Against wet rubbing according to*  
*EN ISO 105-X12:*  
 - ≥ 3-4 (Scale 1-5)

**Scheuerfestigkeit:**  
*Martindale (Nach: EN ISO 12947-2):*  
 - 100000 Touren

**Schwerentflammbarkeit:**  
 - EN ISO 1021 part 1, 2- BS 5852  
*Crib 5- IMO FTP Code 2010:*  
 - BS 5852 Crib 5  
 - IMO FTP Code 2010: Part 8  
 - UNI 9175, 1 IM  
 - TB 117

### Wartungsanweisungen:



### For further information:


Svensson  
 511 82 Kinna, Sweden

T: +46 320 20 92 00  
 F: +46 320 21 10 10  
 E: info@ludvigsvensson.com






5925



6081



6145




6431



6434



6536



6623



6661



6727



6745



6750



6752




6918




6936




6963



8400



8500



8600



8700



8900

## SEMI Möbelstoff

**Breite:** 140 cm  
**Gewicht:** 330 G/M<sup>2</sup>  
**Material:** Wolle 85%  
 Polyamid 15%

**Color fastness:**  
*Against dry rubbing according to*  
*EN ISO 105-X12:*  
 - ≥ 4 (Scale 1-5)  
*Gegen Licht nach EN ISO 105-B02*  
 - ≥ 5-7 (Skala 1-8)  
*Against wet rubbing according to*  
*EN ISO 105-X12:*  
 - ≥ 3-4 (Scale 1-5)

**Scheuerfestigkeit:**  
*Martindale (Nach: EN ISO 12947-2):*  
 - 100000 Touren

**Schwerentflammbarkeit:**  
 - EN ISO 1021 part 1, 2- BS 5852  
*Crib 5- IMO FTP Code 2010:*  
 - BS 5852 Crib 5  
 - IMO FTP Code 2010: Part 8  
 - UNI 9175, 1 IM  
 - TB 117

### Wartungsanweisungen:



### For further information:

Svensson  
 511 82 Kinna, Sweden

T: +46 320 20 92 00  
 F: +46 320 21 10 10  
 E: info@ludvigsvensson.com

