



GRAIN
Hängende Textilien



3032



3040



3310




3325



3360




3524




3560



3631




3871




4021




4333




4340




4362




4421




4472



4510




4533



4552



4554



4641

GRAIN

Hängende Textilien

Breite: 300 cm**Gewicht:** 190 G/M²**Material:** Trevira CS 100%**Einlaufen:** 2 %**Farbechtheit:***Gegen Licht nach EN ISO 105-B02**- ≥ 5-7 (Skala 1-8)**Against washing according to EN**ISO 105-C06**- 5 (Scale 1-5)***Schwerentflammbarkeit:***- BS 5867:**- DIN 4102-1 class B1**- IMO FTP Code Part 7**- UNI 9177, Class 1**- EN 13773, Class 1**- EN 13501-1, B-s1, d0**- NFPA 701**- UNI 8456/8457***For further information:**Svensson
511 82 Kinna, Sweden


T: +46 320 20 92 00

F: +46 320 21 10 10

E: info@ludvigsvensson.com**Wartungsanweisungen:**



4645



5040



5060



5431



6042



6222




6235



6423




6450



6510



6521




6530



6540




6630




6635




6780



6820



6930



8000



8500

GRAIN

Hängende Textilien

Breite: 300 cm**Gewicht:** 190 G/M²**Material:** Trevira CS 100%**Einlaufen:** 2 %**Farbechtheit:***Gegen Licht nach EN ISO 105-B02**- ≥ 5-7 (Skala 1-8)**Against washing according to EN**ISO 105-C06**- 5 (Scale 1-5)***Schwerentflammbarkeit:***- BS 5867:**- DIN 4102-1 class B1**- IMO FTP Code Part 7**- UNI 9177, Class 1**- EN 13773, Class 1**- EN 13501-1, B-s1, d0**- NFPA 701**- UNI 8456/8457***For further information:**Svensson
511 82 Kinna, Sweden

T: +46 320 20 92 00

F: +46 320 21 10 10

E: info@ludvigsvensson.com**Wartungsanweisungen:**