




AIRY
Hängende Textilien


 **svensson**




3010



3243




3463




3631




4053



4333




4410




4422




4441




4461



4542




4652



4672




4851




5031



5631




5681



6242



6444



6531

AIRY

Hängende Textilien

Design von: Johanna de Ru

Breite: 300 cm

Gewicht: 115 G/M²

Material: Trevira CS 100%

Einlaufen: 2 %

Farbechtheit:

Gegen Licht nach EN ISO 105-B02

- ≥ 5-7 (Skala 1-8)

Against washing according to EN

ISO 105-C06

- ≥ 5 (Scale 1-5)

Schwerentflammbarkeit:

- BS 5867-2 Type B - DIN 4102-1

B1 - IMO FTP Code 2010:

- DIN 4102-1 B1

- IMO FTP Code 2010: Part 7

- NF P 92-503-507, M1

- EN 13773, Class 1

- EN 13501-1, Class B-s1, d0

- NFPA 701

- UNI 8456/8457

For further information:

Svensson
511 82 Kinna, Sweden

T: +46 320 20 92 00

F: +46 320 21 10 10


E: info@ludvigsvensson.com

Wartungsanweisungen:




Zertifikate:







6711



6723




6736



6827




6841




6862




6920



8000



8220



8330

AIRY

Hängende Textilien

Design von: Johanna de Ru

Breite: 300 cm

Gewicht: 115 G/M²

Material: Trevira CS 100%

Einlaufen: 2 %

Farbechtheit:

Gegen Licht nach EN ISO 105-B02

- ≥ 5-7 (Skala 1-8)

Against washing according to EN ISO 105-C06

- ≥ 5 (Scale 1-5)

Schwerentflammbarkeit:

- BS 5867-2 Type B - DIN 4102-1

B1 - IMO FTP Code 2010:

- DIN 4102-1 B1

- IMO FTP Code 2010: Part 7

- NF P 92-503-507, M1

- EN 13773, Class 1

- EN 13501-1, Class B-s1, d0

- NFPA 701

- UNI 8456/8457

For further information:

Svensson
511 82 Kinna, Sweden

T: +46 320 20 92 00

F: +46 320 21 10 10

E: info@ludvigsvensson.com

Wartungsanweisungen:



Zertifikate:

