




AKEMI
Hanging fabrics



3020




3067



3225



3355



3368




3655



3746




3935



3978




4377




4424



4466




4656




5235



5246



5853



5868



6426



6732



6742

AKEMI

Hanging fabrics

Width: 150 cm

Weight: 210 g/m²

Material: Trevira CS 100%

Shrinkage: 2 %

Color fastness:

Against light according to EN ISO 105-B02

- 5-7 (Scale 1-8)

Against washing according to EN ISO 105-C06

- 4-5 (Scale 1-5)

Flame retardancy:

- DIN 4102, B1- NF P 92-503-507,

M1- EN 13773, Class 1- SN 198898-BS 5867:

- NF P 92-503-507, M1

- EN 13773, Class 1

- SN 198898

- BS 5867: Part 2, Type B

- IMO FTP Code Part 7

- EN 13501-1, B-s1, d0

- NFPA 701

- UNI 8456/8457

For further information:

Svensson
511 82 Kinna, Sweden


T: +46 320 20 92 00

F: +46 320 21 10 10


E: info@ludvigsvensson.com

Care instructions:





6756



6837



8100



8102



8700

AKEMI

Hanging fabrics

Width: 150 cm

Weight: 210 g/m²

Material: Trevira CS 100%

Shrinkage: 2 %

Color fastness:

Against light according to EN ISO 105-B02

- 5-7 (Scale 1-8)

Against washing according to EN ISO 105-C06

- 4-5 (Scale 1-5)

Flame retardancy:

- DIN 4102, B1- NF P 92-503-507,
M1- EN 13773, Class 1- SN 198898-

BS 5867:

- NF P 92-503-507, M1

- EN 13773, Class 1

- SN 198898

- BS 5867: Part 2, Type B

- IMO FTP Code Part 7

- EN 13501-1, B-s1, d0

- NFPA 701

- UNI 8456/8457

For further information:

Svensson
511 82 Kinna, Sweden

T: +46 320 20 92 00

F: +46 320 21 10 10

E: info@ludvigsvensson.com



Care instructions:

