




EASY
Upholstery fabrics



3022




3027




3030




3070




3124



3145




3263



3318




3536




3622




3651



3726




3772




4342



4345



4380



4454



4625



4642



4745

EASY

Upholstery fabrics

Width: 140 cm
Weight: 330 g/m²
Material: Wool 85%
 Polyamid 15%

Color fastness:
Against dry rubbing according to EN ISO 105-X12:
 - 4 (Scale 1-5)
Against light according to EN ISO 105-B02
 - 5-7 (Scale 1-8)
Against wet rubbing according to EN ISO 105-X12:
 - 3-4 (Scale 1-5)

Abrasion resistance:
Martindale (According to EN ISO 12947-2):
 - 150000 rubs

Flame retardancy:
 - EN ISO 1021 part 1, 2- BS 5852
 crib 5- IMO FTP Code 2010:
 - BS 5852 crib 5
 - IMO FTP Code 2010: Part 8
 - UNI 9175, 1 IM
 - TB117

Care instructions:



For further information:

Svensson
 511 82 Kinna, Sweden

T: +46 320 20 92 00
 F: +46 320 21 10 10
 E: info@ludvigsvensson.com






4831



4861



5026



5863



5936



6036




6054




6165



6331



6370



6380



6553



6636




6727




6810



6918



8200



8500



8700



8900

EASY

Upholstery fabrics

Width: 140 cm
Weight: 330 g/m²
Material: Wool 85%
 Polyamid 15%

Color fastness:
Against dry rubbing according to EN ISO 105-X12:
 - 4 (Scale 1-5)
Against light according to EN ISO 105-B02
 - 5-7 (Scale 1-8)
Against wet rubbing according to EN ISO 105-X12:
 - 3-4 (Scale 1-5)

Abrasion resistance:
Martindale (According to EN ISO 12947-2):
 - 150000 rubs

Flame retardancy:
 - EN ISO 1021 part 1, 2- BS 5852
 crib 5- IMO FTP Code 2010:
 - BS 5852 crib 5
 - IMO FTP Code 2010: Part 8
 - UNI 9175, 1 IM
 - TB117

Care instructions:



For further information:

Svensson
 511 82 Kinna, Sweden

T: +46 320 20 92 00
 F: +46 320 21 10 10
 E: info@ludvigsvensson.com

