






WELL
Hanging fabrics



1500




1700



3020



3360



3560



3655



3680



3740




3950



4150



4250




4434



4540




4656



4850




4980



5120



5580



5860



6030

WELL

Hanging fabrics

Width: 150 cm

Weight: 290 g/m²

Material: Trevira CS 100%

Shrinkage: 2 %

Color fastness:

Against light according to EN ISO 105-B02

- 5-7 (Scale 1-8)

Against washing according to EN ISO 105-C06

- 4-5 (Scale 1-5)

Flame retardancy:

- IMO FTP Code Part 7 (IMO Res

A 471(12)IMO Re A 563 (14))

- EN 13773, Class 1

- NF P 92-503-507, M1

- SN 198898

- EN 13501-1

- UNI 8456/8457

- NFPA 701

Care instructions:



For further information:


Svensson
511 82 Kinna, Sweden

T: +46 320 20 92 00

F: +46 320 21 10 10

E: info@ludvigsvensson.com






6630




6730




6780




6880




6967



6980




8010




8022



8300



8977



8990

WELL

Hanging fabrics

Width: 150 cm

Weight: 290 g/m²

Material: Trevira CS 100%

Shrinkage: 2 %

Color fastness:

Against light according to EN ISO 105-B02

- 5-7 (Scale 1-8)

Against washing according to EN ISO 105-C06

- 4-5 (Scale 1-5)

Flame retardancy:

- IMO FTP Code Part 7 (IMO Res

A 471(12)IMO Re A 563 (14))

- EN 13773, Class 1

- NF P 92-503-507, M1

- SN 198898

- EN 13501-1

- UNI 8456/8457

- NFPA 701

Care instructions:



For further information:

Svensson
511 82 Kinna, Sweden

T: +46 320 20 92 00

F: +46 320 21 10 10

E: info@ludvigsvensson.com

