

TONE
Upholstery fabrics

svensson

3221

3231


3263

3345

4210


4220

4321

4325

4326

4331

4353

4363

4431


4441

4550

4560

4621

4631

5261

5272

TONE
Upholstery fabrics

Width: 140 cm
Weight: 280 g/m²
Material: Trevira CS 100%

Color fastness:
Against dry rubbing according to EN ISO 105-X12:
- 4 (Scale 1-5)

Against light according to EN ISO 105-B02
- 5-7 (Scale 1-8)

Against wet rubbing according to EN ISO 105-X12:
- 3-4 (Scale 1-5)

Abrasion resistance:
Martindale (According to EN ISO 12947-2):
- 50000 rubs

Flame retardancy:
- EN 1021-1, 2- DIN 4102-1 B1-
IMO FTP Code 2010:
- DIN 4102-1 B1
- IMO FTP Code 2010: Part 8
- NFP 92-503-507 M1
- BS 5852 Crib 5
- UNI 9175, 1IM
- EN 13501-1, B-s1, d0
- SN 198898
- NFPA 260

Care instructions:

For further information:

Svensson
511 82 Kinna, Sweden

T: +46 320 20 92 00
F: +46 320 21 10 10
E: info@ludvigsvensson.com

5611

5631

6065

6075

6253

6263

6535

6540


6550

6552


6572

6632

6642

6731

6740

6844

6853


8800

8900

TONE
Upholstery fabrics

Width: 140 cm
Weight: 280 g/m²
Material: Trevira CS 100%

Color fastness:
Against dry rubbing according to EN ISO 105-X12:
- 4 (Scale 1-5)

Against light according to EN ISO 105-B02
- 5-7 (Scale 1-8)

Against wet rubbing according to EN ISO 105-X12:
- 3-4 (Scale 1-5)

Abrasion resistance:
Martindale (According to EN ISO 12947-2):
- 50000 rubs

Flame retardancy:
- EN 1021-1, 2- DIN 4102-1 B1-
IMO FTP Code 2010:
- DIN 4102-1 B1
- IMO FTP Code 2010: Part 8
- NFP 92-503-507 M1
- BS 5852 Crib 5
- UNI 9175, 1IM
- EN 13501-1, B-s1, d0
- SN 198898
- NFPA 260

Care instructions:

For further information:

Svensson
511 82 Kinna, Sweden

T: +46 320 20 92 00
F: +46 320 21 10 10
E: info@ludvigsvensson.com