






TONE
Upholstery fabrics




3221



3231




3263



3345



4210



4220



4321




4325



4326



4331




4353




4363




4431




4441




4550




4560



4621



4631



5261



5272

STONE

Upholstery fabrics

Width: 140 cm

Weight: 280 g/m²

Material: Trevira CS 100%

Color fastness:

Against dry rubbing according to EN ISO 105-X12:

- 4 (Scale 1-5)

Against light according to EN ISO 105-B02

- 5-7 (Scale 1-8)

Against wet rubbing according to EN ISO 105-X12:

- 3-4 (Scale 1-5)

Abrasion resistance:

Martindale (According to EN ISO 12947-2):

- 50000 rubs

Flame retardancy:

- EN 1021-1, 2- DIN 4102-1 B1-

IMO FTP Code 2010:

- DIN 4102-1 B1

- IMO FTP Code 2010: Part 8

- NFP 92-503-507 M1

- BS 5852 Crib 5

- UNI 9175, 1IM

- EN 13501-1, B-s1, d0

- SN 198898

- NFPA 260

Care instructions:



For further information:

Svensson
511 82 Kinna, Sweden

T: +46 320 20 92 00


F: +46 320 21 10 10

E: info@ludvigsvensson.com






5611




5631




6065




6075



6253



6263




6535




6540




6550




6552




6572




6632



6642



6731



6740




6844



6853



8800



8900

TONE

Upholstery fabrics

Width: 140 cm**Weight:** 280 g/m²**Material:** Trevira CS 100%**Color fastness:***Against dry rubbing according to EN ISO 105-X12:**- 4 (Scale 1-5)**Against light according to EN ISO 105-B02**- 5-7 (Scale 1-8)**Against wet rubbing according to EN ISO 105-X12:**- 3-4 (Scale 1-5)***Abrasion resistance:***Martindale (According to EN ISO 12947-2):**- 50000 rubs***Flame retardancy:***- EN 1021-1, 2- DIN 4102-1 B1-**IMO FTP Code 2010:**- DIN 4102-1 B1**- IMO FTP Code 2010: Part 8**- NFP 92-503-507 M1**- BS 5852 Crib 5**- UNI 9175, 1IM**- EN 13501-1, B-s1, d0**- SN 198898**- NFPA 260***Care instructions:****For further information:**Svensson
511 82 Kinna, Sweden

T: +46 320 20 92 00

F: +46 320 21 10 10

E: info@ludvigsvensson.com

