



ALLY
Upholstery fabrics



3063



3124



3436



3543



3635



3742



3744



3952



3963



4060



4080



4443



4463



4532



4545



4632



4653



4730



5041



5051

ALLY

Upholstery fabrics

Width: 140 cm
Weight: 320 g/m²
Material: Wool 85%
 Polyamid 15%

Color fastness:
Against dry rubbing according to EN ISO 105-X12:
 - ≥4 (Scale 1-5)
Against light according to EN ISO 105-B02
 - ≥5-7 (Scale 1-8)
Against wet rubbing according to EN ISO 105-X12:
 - ≥3-4 (Scale 1-5)

Abrasion resistance:
Martindale (According to EN ISO 12947-2):
 - 100000 rubs

Flame retardancy:
 - IMO FTP Code Part 8
 - UNI 9175, 1IM
 - TB 117

Care instructions:




For further information:

Svensson
 511 82 Kinna, Sweden

T: +46 320 20 92 00
 F: +46 320 21 10 10
 E: info@ludvigsvensson.com






5261



5532



5822



5861



5881



6035



6043



6242



6533




6540



6550



6563



6661




6730



6742



6752



6770



6780



6954



8330

ALLY Upholstery fabrics

Width: 140 cm

Weight: 320 g/m²

Material: Wool 85%
Polyamid 15%

Color fastness:

Against dry rubbing according to

EN ISO 105-X12:

- ≥4 (Scale 1-5)

Against light according to EN ISO

105-B02

- ≥5-7 (Scale 1-8)

Against wet rubbing according to

EN ISO 105-X12:

- ≥3-4 (Scale 1-5)

Abrasion resistance:

Martindale (According to EN ISO

12947-2):

- 100000 rubs

Flame retardancy:

- IMO FTP Code Part 8

- UNI 9175, 1IM

- TB 117

Care instructions:



For further information:

Svensson
511 82 Kinna, Sweden

T: +46 320 20 92 00

F: +46 320 21 10 10

E: info@ludvigsvensson.com

