





AIRY
Hanging fabrics


 **svensson**




3010




3243




3463



3631




4053




4333




4410



4422




4441




4461




4542




4652



4672




4851



5031




5631




5681



6242



6444



6531

AIRY

Hanging fabrics

Width: 300 cm

Weight: 115 g/m²

Material: Trevira CS 100%

Shrinkage: 2 %

Color fastness:

Against light according to EN ISO 105-B02

- ≥ 5-7 (Scale 1-8)

Against washing according to EN ISO 105-C06

- ≥ 5 (Scale 1-5)

Flame retardancy:

- BS 5867-2 Type B - DIN 4102-1

B1 - IMO FTP Code 2010:

- DIN 4102-1 B1

- IMO FTP Code 2010: Part 7

- NF P 92-503-507, M1

- EN 13773, Class 1

- EN 13501-1, Class B-s1, d0

- NFPA 701

- UNI 8456/8457

Care instructions:



For further information:


Svensson
511 82 Kinna, Sweden

T: +46 320 20 92 00


F: +46 320 21 10 10

E: info@ludvigsvensson.com







6711



6723




6736



6827




6841




6862




6920



8000



8220



8330

AIRY

Hanging fabrics

Width: 300 cm

Weight: 115 g/m²

Material: Trevira CS 100%

Shrinkage: 2 %

Color fastness:

Against light according to EN ISO 105-B02

- ≥ 5-7 (Scale 1-8)

Against washing according to EN ISO 105-C06

- ≥ 5 (Scale 1-5)

Flame retardancy:

- BS 5867-2 Type B - DIN 4102-1

B1 - IMO FTP Code 2010:

- DIN 4102-1 B1

- IMO FTP Code 2010: Part 7

- NF P 92-503-507, M1

- EN 13773, Class 1

- EN 13501-1, Class B-s1, d0

- NFPA 701

- UNI 8456/8457

Care instructions:



For further information:

Svensson

511 82 Kinna, Sweden

T: +46 320 20 92 00

F: +46 320 21 10 10

E: info@ludvigsvensson.com

