






MACRO
Upholstery fabrics

 **svensson**




3023




3142



3154



3221



3436




3527




3554




3560



3570



4425




4433



4445




4453




4531



4536



4552




4580



4653



4661



4730

MACRO

Upholstery fabrics

Design by: Pernilla McGillivray
Width: 140 cm
Weight: 335 g/m²
Material: Wool 85%
 Polyamid 15%

Color fastness:
 Against dry rubbing according to
 EN ISO 105-X12:
 - ≥4 (Scale 1-5)
 Against light according to EN ISO
 105-B02
 - ≥5-7 (Scale 1-8)
 Against wet rubbing according to
 EN ISO 105-X12:
 - ≥3-4 (Scale 1-5)

Abrasion resistance:
 Martindale (According to EN ISO
 12947-2):
 - 100000 rubs

Flame retardancy:
 - IMO FTP Code Part 8
 - UNI 9175, 1IM

Certificates:



For further information:

Ludvig Svensson
 511 82 Kinna, Sweden

T: +46 320 20 92 00
 F: +46 320 21 10 10
 E: info@ludvigsvensson.com







4861



4863



5730



5863



5871



5881



5932



6062



6133




6322



6424




6621



6631



6644




6662



6744




6841



8330



8440



8900

MACRO

Upholstery fabrics

Design by: Pernilla McGillivray
Width: 140 cm
Weight: 335 g/m²
Material: Wool 85%
 Polyamid 15%

Color fastness:
Against dry rubbing according to EN ISO 105-X12:
 - ≥4 (Scale 1-5)
Against light according to EN ISO 105-B02
 - ≥5-7 (Scale 1-8)
Against wet rubbing according to EN ISO 105-X12:
 - ≥3-4 (Scale 1-5)

Abrasion resistance:
Martindale (According to EN ISO 12947-2):
 - 100000 rubs

Flame retardancy:
 - IMO FTP Code Part 8
 - UNI 9175, 1IM

Certificates:



For further information:

Ludvig Svensson
 511 82 Kinna, Sweden

T: +46 320 20 92 00
 F: +46 320 21 10 10
 E: info@ludvigsvensson.com

