




CODY
Upholstery fabrics




3226



3334



3350




3572



3633



4152



4380



4462




4522




4831




4862



5251



5261




5731



5870




5934




6360



6422



6443



6453

CODY

Upholstery fabrics

Width: 140 cm

Weight: 280 g/m²

Material: Wool 85%
Polyamid 15%

Color fastness:

Against dry rubbing according to
EN ISO 105-X12:
- ≥ 4 (Scale 1-5)

Against light according to EN ISO
105-B02

- ≥ 5-7 (Scale 1-8)

Against wet rubbing according to
EN ISO 105-X12:

- ≥ 3-4 (Scale 1-5)

Abrasion resistance:

Martindale (According to EN ISO
12947-2):

- 100000 rubs

Flame retardancy:

- EN ISO 1021 part 1, 2- BS 5852,
Crib 5- IMO FTP Code 2010:
- BS 5852, Crib 5
- IMO FTP Code 2010: Part 8
- UNI 9175, 1IM

Care instructions:



For further information:


Svensson
511 82 Kinna, Sweden

T: +46 320 20 92 00


F: +46 320 21 10 10

E: info@ludvigsvensson.com







6520




6560



6740



6750




6770



6820




6826



6841



8400



8800

CODY

Upholstery fabrics

Width: 140 cm

Weight: 280 g/m²

Material: Wool 85%
Polyamid 15%

Color fastness:

Against dry rubbing according to

EN ISO 105-X12:

- ≥ 4 (Scale 1-5)

Against light according to EN ISO
105-B02

- ≥ 5-7 (Scale 1-8)

Against wet rubbing according to

EN ISO 105-X12:

- ≥ 3-4 (Scale 1-5)

Abrasion resistance:

Martindale (According to EN ISO
12947-2):

- 100000 rubs

Flame retardancy:

- EN ISO 1021 part 1, 2- BS 5852,

Crib 5- IMO FTP Code 2010:

- BS 5852, Crib 5

- IMO FTP Code 2010: Part 8

- UNI 9175, 1IM

Care instructions:



For further information:

Svensson
511 82 Kinna, Sweden

T: +46 320 20 92 00

F: +46 320 21 10 10

E: info@ludvigsvensson.com

