




3050




3326



3333



3444




3750



3871




4220



4332




4421




4471




4540




4551




4651



4661




5052



5061



5071



5421



5632



6071

## LANE

### Upholstery fabrics

**Width:** 140 cm

**Weight:** 350 g/m<sup>2</sup>

**Material:** Wool 100%

**Color fastness:**

*Against dry rubbing according to EN ISO 105-X12:*

- ≥ 4 (Scale 1-5)

*Against light according to EN ISO 105-B02*

- ≥ 5-7 (Scale 1-8)

*Against wet rubbing according to EN ISO 105-X12:*

- ≥ 3-4 (Scale 1-5)

**Abrasion resistance:**

*Martindale (According to EN ISO 12947-2):*

- 50000 rubs

**Flame retardancy:**

- IMO FTP Code Part 8

**Care instructions:**




**For further information:**


Svensson  
511 82 Kinna, Sweden

T: +46 320 20 92 00  
F: +46 320 21 10 10  
E: info@ludvigsvensson.com







6320



6471




6560




6732




6740



6831



6934



6952



8400



8500

## LANE

### Upholstery fabrics

**Width:** 140 cm

**Weight:** 350 g/m<sup>2</sup>

**Material:** Wool 100%

**Color fastness:**

*Against dry rubbing according to EN ISO 105-X12:*

- ≥ 4 (Scale 1-5)

*Against light according to EN ISO 105-B02*

- ≥ 5-7 (Scale 1-8)

*Against wet rubbing according to EN ISO 105-X12:*

- ≥ 3-4 (Scale 1-5)

**Abrasion resistance:**

*Martindale (According to EN ISO 12947-2):*

- 50000 rubs

**Flame retardancy:**

- IMO FTP Code Part 8

**Care instructions:**



**For further information:**

Svensson  
511 82 Kinna, Sweden

T: +46 320 20 92 00  
F: +46 320 21 10 10  
E: [info@ludvigsvensson.com](mailto:info@ludvigsvensson.com)

