




AKEMI
Hängande textil



3020




3067




3225



3355



3368



3655



3746



3935



3978




4377




4424



4466




4656




5235



5246



5853



5868



6426



6732



6742

AKEMI


Hängande textil

Bredd: 150 cm**Vikt:** 210 g/m²**Material:** Trevira CS 100%**Krympning:** 2 %**Färghårdighet:***Mot ljus enligt EN ISO 105-B02**- 5-7 (Skala 1-8)**Mot tvätt enligt EN ISO 105-C06**- 4-5 (Skala 1-5)***Svårantändlighet:***- DIN 4102, B1- NF P 92-503-507,**M1- EN 13773, Class 1- SN 198898-**BS 5867:**- NF P 92-503-507, M1**- EN 13773, Class 1**- SN 198898**- BS 5867: Part 2, Type B**- IMO FTP Code Part 7**- EN 13501-1, B-s1, d0**- NFPA 701**- UNI 8456/8457***For further information:**Svensson
511 82 Kinna, Sweden


T: +46 320 20 92 00

F: +46 320 21 10 10

E: info@ludvigsvensson.com**Skötselanvisning:**



6756



6837



8100



8102



8700

AKEMI

Hängande textil

Bredd: 150 cm

Vikt: 210 g/m²

Material: Trevira CS 100%

Krympning: 2 %

Färghårdighet:

Mot ljus enligt EN ISO 105-B02

- 5-7 (Skala 1-8)

Mot tvätt enligt EN ISO 105-C06

- 4-5 (Skala 1-5)

Svårantändlighet:

- DIN 4102, B1- NF P 92-503-507,

M1- EN 13773, Class 1- SN 198898-

BS 5867:

- NF P 92-503-507, M1

- EN 13773, Class 1

- SN 198898

- BS 5867: Part 2, Type B

- IMO FTP Code Part 7

- EN 13501-1, B-s1, d0

- NFPA 701

- UNI 8456/8457

For further information:

Svensson

511 82 Kinna, Sweden

T: +46 320 20 92 00

F: +46 320 21 10 10

E: info@ludvigsvensson.com



Skötselanvisning:

