




SALT
Hanging fabrics




1500




3210




3932



4062




4230



4321




4340



4342




4350



4411



4472




4531



4540




4562



4621



5021



5071



5510



5621



6311

SALT

Hanging fabrics

Bredd: 300 cm

Vikt: 190 g/m²

Material: Trevira CS 100%

Krympning: 2 %

Färghårdighet:

Mot ljus enligt EN ISO 105-B02

- ≥ 5 - 7 (Skala 1-8)

Mot tvätt enligt EN ISO 105-C06

- ≥ 5 (Skala 1-5)

Svårantändlighet:

- BS 5867-2 Type B 2019 - DIN 4102-1

B1 2019 - IMO FTP Code 2010:

- DIN 4102-1 B1 2019

- IMO FTP Code 2010: Part 7 2019

- NF P 92-503-507, M1 2019

- EN 13773, Class 1 2019

- EN 13501-1, Class B-s1, d0 2019

- UNI 8456/8457

- NFPA 701

For further information:

Svensson
511 82 Kinna, Sweden

T: +46 320 20 92 00

F: +46 320 21 10 10

E: info@ludvigsvensson.com

Skötselanvisning:





6331



6420



6441




6510



6520



6710



6815



8110



8440



8660

SALT

Hanging fabrics

Bredd: 300 cm

Vikt: 190 g/m²

Material: Trevira CS 100%

Krympning: 2 %

Färghårdighet:

Mot ljus enligt EN ISO 105-B02

- ≥ 5 - 7 (Skala 1-8)

Mot tvätt enligt EN ISO 105-C06

- ≥ 5 (Skala 1-5)

Svårantändlighet:

- BS 5867-2 Type B 2019 - DIN 4102-1

B1 2019 - IMO FTP Code 2010:

- DIN 4102-1 B1 2019

- IMO FTP Code 2010: Part 7 2019

- NF P 92-503-507, M1 2019

- EN 13773, Class 1 2019

- EN 13501-1, Class B-s1, d0 2019

- UNI 8456/8457

- NFPA 701

For further information:

Svensson
511 82 Kinna, Sweden

T: +46 320 20 92 00

F: +46 320 21 10 10

E: info@ludvigsvensson.com

Skötselanvisning:

