



BALANCE
Upholstery fabrics


 **svensson**



3030




3227



3418



3726



3732




3863




4436



4454



4615



4745



4831



5026



5636



5842



5917



6072



6336



6636



6708



6908

BALANCE

Upholstery fabrics

Bredd: 140 cm

Vikt: 570 g/m²

Material: Ull 82%
Polyamid 6%
RAMI 12%

Färghårdighet:

Mot gnidning torr enligt EN ISO 105-X12:

- 4 (Skala 1-5)

Mot ljus enligt EN ISO 105-B02

- 5-7 (Skala 1-8)

Mot gnidning våt enligt EN ISO 105-X12:

- 3-4 (Skala 1-5)

Nötning:

Martindale (Enligt EN ISO 12947-2):

- 100000 varv

Svårantändlighet:

- EN ISO 1021 part 1, 2- BS 5852

Crib 5- UNI 9175, 1 IM- TB 117-

IMO FTP Code 2010:

- BS 5852 Crib 5

- UNI 9175, 1 IM

- TB 117

- IMO FTP Code 2010: Part 8

For further information:

Svensson
511 82 Kinna, Sweden

T: +46 320 20 92 00

F: +46 320 21 10 10

E: info@ludvigsvensson.com






6972



8200



8500



8900

BALANCE

Upholstery fabrics

Bredd: 140 cm

Vikt: 570 g/m²

Material: Ull 82%
Polyamid 6%
RAMI 12%

Färghårdighet:

Mot gnidning torr enligt EN ISO 105-X12:

- 4 (Skala 1-5)

Mot ljus enligt EN ISO 105-B02

- 5-7 (Skala 1-8)

Mot gnidning våt enligt EN ISO 105-X12:

- 3-4 (Skala 1-5)

Nötning:

Martindale (Enligt EN ISO 12947-2):

- 100000 varv

Svårantändlighet:

- EN ISO 1021 part 1, 2- BS 5852

Crib 5- UNI 9175, 1 IM- TB 117-

IMO FTP Code 2010:

- BS 5852 Crib 5

- UNI 9175, 1 IM

- TB 117

- IMO FTP Code 2010: Part 8

For further information:

Svensson
511 82 Kinna, Sweden

T: +46 320 20 92 00

F: +46 320 21 10 10

E: info@ludvigsvensson.com

