




**CODY**  
Möbeltyg

 **svensson**




3226



3334



3350




3572



3633



4152



4380



4462




4522




4831




4862



5251



5261




5731



5870




5934




6360



6422



6443



6453

## CODY

### Möbeltyg

**Bredd:** 140 cm  
**Vikt:** 280 g/m<sup>2</sup>  
**Material:** Ull 85%  
Polyamid 15%

**Färghärdighet:**  
*Mot gnidning torr enligt EN ISO 105-X12:*  
- ≥ 4 (Skala 1-5)  
*Mot ljus enligt EN ISO 105-B02*  
- ≥ 5-7 (Skala 1-8)  
*Mot gnidning våt enligt EN ISO 105-X12:*  
- ≥ 3-4 (Skala 1-5)

**Nötning:**  
*Martindale (Enligt EN ISO 12947-2):*  
- 100000 varv

**Svårantändlighet:**  
- EN ISO 1021 part 1, 2- BS 5852,  
Crib 5- IMO FTP Code 2010:  
- BS 5852, Crib 5  
- IMO FTP Code 2010: Part 8  
- UNI 9175, 1IM

#### Skötselanvisning:




#### For further information:


Svensson  
511 82 Kinna, Sweden

T: +46 320 20 92 00  
F: +46 320 21 10 10  
E: info@ludvigsvensson.com






6520



6560



6740



6750



6770




6820



6826



6841



8400



8800

## CODY

### Möbeltyg

**Bredd:** 140 cm  
**Vikt:** 280 g/m<sup>2</sup>  
**Material:** Ull 85%  
Polyamid 15%

**Färghärdighet:**  
*Mot gnidning torr enligt EN ISO 105-X12:*  
- ≥ 4 (Skala 1-5)  
*Mot ljus enligt EN ISO 105-B02*  
- ≥ 5-7 (Skala 1-8)  
*Mot gnidning våt enligt EN ISO 105-X12:*  
- ≥ 3-4 (Skala 1-5)

**Nötning:**  
*Martindale (Enligt EN ISO 12947-2):*  
- 100000 varv

**Svårantändlighet:**  
- EN ISO 1021 part 1, 2- BS 5852,  
Crib 5- IMO FTP Code 2010:  
- BS 5852, Crib 5  
- IMO FTP Code 2010: Part 8  
- UNI 9175, 1IM

#### Skötselanvisning:



#### For further information:

Svensson  
511 82 Kinna, Sweden

T: +46 320 20 92 00  
F: +46 320 21 10 10  
E: [info@ludvigsvensson.com](mailto:info@ludvigsvensson.com)

