




RAMI
Upholstery fabrics




4342



4380



4345




4454




4625



4642



4745




4831



5028



5936



5872



6054



6336



6165



6636




6072



6727



6918



3027



3124

RAMI

Upholstery fabrics

Breite: 140 cm

Gewicht: 600 G/M²

Material: Wolle 80%
Rami 20%

Color fastness:

Against dry rubbing according to

EN ISO 105-X12:

- 4 (Scale 1-5)

Gegen Licht nach EN ISO 105-B02

- 5-7 (Skala 1-8)

Against wet rubbing according to

EN ISO 105-X12:

- 3-4 (Scale 1-5)

Scheuerfestigkeit:

Martindale (Nach: EN ISO 12947-2):

- 70000 Touren

Schwerentflammbarkeit:

- BS 5852 Crib 5

- UNI 9175, 1 IM

- TB 117

- IMO FTP Code Part 8 (IMO Res.

A.652 (16))

Wartungsanweisungen:



For further information:


Svensson
511 82 Kinna, Sweden

T: +46 320 20 92 00

F: +46 320 21 10 10

E: info@ludvigsvensson.com






3022



3145



6972



3318




3536



3726



3863




3622



3651



6810



3030



3072



8700



8500



6370



6331




4861



8200



6380



8900

RAMI

Upholstery fabrics

Breite: 140 cm

Gewicht: 600 G/M²

Material: Wolle 80%
Rami 20%

Color fastness:

Against dry rubbing according to

EN ISO 105-X12:

- 4 (Scale 1-5)

Gegen Licht nach EN ISO 105-B02

- 5-7 (Skala 1-8)

Against wet rubbing according to

EN ISO 105-X12:

- 3-4 (Scale 1-5)

Scheuerfestigkeit:

Martindale (Nach: EN ISO 12947-2):

- 70000 Touren

Schwerentflammbarkeit:

- BS 5852 Crib 5

- UNI 9175, 1 IM

- TB 117

- IMO FTP Code Part 8 (IMO Res.

A.652 (16))

Wartungsanweisungen:



For further information:

Svensson
511 82 Kinna, Sweden

T: +46 320 20 92 00

F: +46 320 21 10 10

E: info@ludvigsvensson.com

