





DAY
Hanging fabrics

 **svensson**



3123



4532




5021



5241




6120




6410



6451



6510




6911



8000




3146



3245




3336



3421



3433



3762



4071



4122



4430



4445

DAY

Hanging fabrics

Width: 300 cm

Weight: 110 g/m²

Material: Trevira CS 100%

Shrinkage: 2 %

Color fastness:

Against light according to EN ISO 105-B02

- ≥ 5-7 (Scale 1-8)

Against washing according to EN ISO 105-C06

- ≥ 5 (Scale 1-5)

Flame retardancy:

- BS 5867-2 Type B- DIN 4102-1

B1- IMO FTP Code 2010:

- DIN 4102-1 B1

- IMO FTP Code 2010: Part 7

- NF P 92-503-507 M1

- EN 13773 Class 1

- EN 13501-1; B-s1, d0

- ÖNORM 3800-1

- SN 198898

- UNI 8456/8457

- NFPA 701

For further information:

Svensson
511 82 Kinna, Sweden

T: +46 320 20 92 00

F: +46 320 21 10 10

E: info@ludvigsvensson.com




Care instructions:







4553




4632



4660




4820




4854



5221



5545



5822




6052




6125




6324



6520



6620




6925



8110



8120



8400



8600

DAY

Hanging fabrics

Width: 300 cm

Weight: 110 g/m²

Material: Trevira CS 100%

Shrinkage: 2 %

Color fastness:

Against light according to EN ISO 105-B02

- ≥ 5-7 (Scale 1-8)

Against washing according to EN ISO 105-C06

- ≥ 5 (Scale 1-5)

Flame retardancy:

- BS 5867-2 Type B- DIN 4102-1

B1- IMO FTP Code 2010:

- DIN 4102-1 B1

- IMO FTP Code 2010: Part 7

- NF P 92-503-507 M1

- EN 13773 Class 1

- EN 13501-1; B-s1, d0

- ÖNORM 3800-1

- SN 198898

- UNI 8456/8457

- NFPA 701

For further information:

Svensson
511 82 Kinna, Sweden

T: +46 320 20 92 00

F: +46 320 21 10 10

E: info@ludvigsvensson.com



Care instructions:

