





EASY
Upholstery fabrics



4342



4380



4345



4454



4625




4642



4745



4831



5026



5936



5863



6054



6036



6165



6636



6553




6727



6918



3027



3124

EASY

Upholstery fabrics

Design by: Eva Larsson

Width: 140 cm

Weight: 330 g/m²

Material: Wool 85%
Polyamid 15%

Color fastness:

Against dry rubbing according to
EN ISO 105-X12:

- 4 (Scale 1-5)

Against light according to EN ISO
105-B02

- 5-7 (Scale 1-8)

Against wet rubbing according to
EN ISO 105-X12:

- 3-4 (Scale 1-5)

Abrasion resistance:

Martindale (According to EN ISO
12947-2):

- 150000 rubs

Flame retardancy:

- EN ISO 1021 part 1, 2- BS 5852

crib 5- IMO FTP Code 2010:

- BS 5852 crib 5

- IMO FTP Code 2010: Part 8

- UNI 9175, 1 IM

- TB117

Care instructions:



Certificates:



For further information:


Svensson
511 82 Kinna, Sweden

T: +46 320 20 92 00


F: +46 320 21 10 10

E: info@ludvigsvensson.com







3022



3145



3263




3318




3536



3726



3772



3622



3651



6810




3030




3070



8700



8500




6370




6331



4861



8200



6380



8900

EASY

Upholstery fabrics

Design by: Eva Larsson

Width: 140 cm

Weight: 330 g/m²

Material: Wool 85%
Polyamid 15%

Color fastness:

Against dry rubbing according to EN ISO 105-X12:

- 4 (Scale 1-5)

Against light according to EN ISO 105-B02

- 5-7 (Scale 1-8)

Against wet rubbing according to EN ISO 105-X12:

- 3-4 (Scale 1-5)

Abrasion resistance:

Martindale (According to EN ISO 12947-2):

- 150000 rubs

Flame retardancy:

- EN ISO 1021 part 1, 2- BS 5852

crib 5- IMO FTP Code 2010:

- BS 5852 crib 5

- IMO FTP Code 2010: Part 8

- UNI 9175, 1 IM

- TB117

Care instructions:



Certificates:



For further information:

Svensson
511 82 Kinna, Sweden

T: +46 320 20 92 00

F: +46 320 21 10 10

E: info@ludvigsvensson.com

