






MACRO
Upholstery fabrics

 **svensson**




3023




3142



3154




3221




3436




3527




3554




3560



3570



4425




4433



4445




4453



4531



4536



4552




4580



4653



4661



4730

MACRO

Upholstery fabrics

Breite: 140 cm
Gewicht: 335 G/M²
Material: Wolle 85%
 Polyamid 15%

Color fastness:
Against dry rubbing according to
EN ISO 105-X12:
 - ≥4 (Scale 1-5)
Gegen Licht nach EN ISO 105-B02
 - ≥5-7 (Skala 1-8)
Against wet rubbing according to
EN ISO 105-X12:
 - ≥3-4 (Scale 1-5)

Scheuerfestigkeit:
Martindale (Nach: EN ISO 12947-2):
 - 100000 Touren

Schwerentflammbarkeit:
 - IMO FTP Code Part 8
 - UNI 9175, 1IM

For further information:

Svensson
 511 82 Kinna, Sweden

T: +46 320 20 92 00
 F: +46 320 21 10 10
 E: info@ludvigsvensson.com







4861



4863



5730



5863



5871



5881



5932



6062



6133




6322



6424




6621



6631



6644




6662



6744




6841



8330



8440



8900

MACRO

Upholstery fabrics

Breite: 140 cm

Gewicht: 335 G/M²

Material: Wolle 85%
Polyamid 15%

Color fastness:

Against dry rubbing according to

EN ISO 105-X12:

- ≥4 (Scale 1-5)

Gegen Licht nach EN ISO 105-B02

- ≥5-7 (Skala 1-8)

Against wet rubbing according to

EN ISO 105-X12:

- ≥3-4 (Scale 1-5)

Scheuerfestigkeit:

Martindale (Nach: EN ISO 12947-2):

- 100000 Touren

Schwerentflammbarkeit:

- IMO FTP Code Part 8

- UNI 9175, 1IM

For further information:

Svensson
511 82 Kinna, Sweden

T: +46 320 20 92 00

F: +46 320 21 10 10

E: info@ludvigsvensson.com

