



**CODY**  
Upholstery fabrics




3226



3334




3350




3572




3633



4152



4380



4462




4522




4831



4862



5251



5261




5731




5870




5934




6360



6422



6443



6453

## CODY

### Upholstery fabrics


**Bredd:** 140 cm**Vikt:** 280 g/m<sup>2</sup>**Material:** Ull 85%  
Polyamid 15%**Färghårdighet:***Mot gnidning torr enligt EN ISO 105-X12:**- ≥ 4 (Skala 1-5)**Mot ljus enligt EN ISO 105-B02**- ≥ 5-7 (Skala 1-8)**Mot gnidning våt enligt EN ISO 105-X12:**- ≥ 3-4 (Skala 1-5)***Nötning:***Martindale (Enligt EN ISO 12947-2):**- 100000 varv***Svårantändlighet:***- EN ISO 1021 part 1, 2- BS 5852,**Crib 5- IMO FTP Code 2010:**- BS 5852, Crib 5**- IMO FTP Code 2010: Part 8***Skötselanvisning:****For further information:**Svensson  
511 82 Kinna, Sweden

T: +46 320 20 92 00


F: +46 320 21 10 10

E: info@ludvigsvensson.com







6520




6560



6740



6750




6770



6820




6826



6841



8400



8800

## CODY

### Upholstery fabrics

**Bredd:** 140 cm  
**Vikt:** 280 g/m<sup>2</sup>  
**Material:** Ull 85%  
Polyamid 15%

**Färghårdighet:**  
*Mot gnidning torr enligt EN ISO 105-X12:*  
- ≥ 4 (Skala 1-5)  
*Mot ljus enligt EN ISO 105-B02*  
- ≥ 5-7 (Skala 1-8)  
*Mot gnidning våt enligt EN ISO 105-X12:*  
- ≥ 3-4 (Skala 1-5)

**Nötning:**  
*Martindale (Enligt EN ISO 12947-2):*  
- 100000 varv

**Svårantändlighet:**  
- EN ISO 1021 part 1, 2- BS 5852,  
Crib 5- IMO FTP Code 2010:  
- BS 5852, Crib 5  
- IMO FTP Code 2010: Part 8

#### Skötselanvisning:



#### For further information:

Svensson  
511 82 Kinna, Sweden

T: +46 320 20 92 00  
F: +46 320 21 10 10  
E: [info@ludvigsvensson.com](mailto:info@ludvigsvensson.com)

