





HELLO RE
Upholstery fabrics


 **svensson**




3062



3125



3326



3363




3544




3733




4271



4362



4443



4452



4461




4534




4644



4845




5041




5345




5672



5744



5931



6144

HELLO RE

Upholstery fabrics

Breite: 140 cm

Gewicht: 280 G/M²

Material: Recycled Trevira CS 100%

Einlaufen: 2 %

Color fastness:

Against dry rubbing according to

EN ISO 105-X12:

- ≥ 4 (Scale 1-5)

Gegen Licht nach EN ISO 105-B02

- ≥ 5-7 (Skala 1-8)

Against wet rubbing according to

EN ISO 105-X12:

- ≥ 3-4 (Scale 1-5)

Scheuerfestigkeit:

Martindale (Nach: EN ISO 12947-2):

- 50000 Touren

Schwerentflammbarkeit:

- EN 1021-1&2 - DIN 4102-1

B1- BS 5852 Crib 5- EN 13501-1;

B-s1, d0- NFP 92-503-507 M1- IMO

FTP Code 2010:

- DIN 4102-1 B1

- BS 5852 Crib 5

- EN 13501-1; B-s1, d0

- NFP 92-503-507 M1

- IMO FTP Code 2010: Part 8

Wartungsanweisungen:



For further information:

Svensson
511 82 Kinna, Sweden

T: +46 320 20 92 00


F: +46 320 21 10 10

E: info@ludvigsvensson.com







6442




6453




6530




6540



6570




6621



6631




6634




6662



6740



6742



6760




6943




8200




8300




8400



8500



8550



8700



8900

HELLO RE

Upholstery fabrics

Breite: 140 cm

Gewicht: 280 G/M²

Material: Recycled Trevira CS 100%

Einlaufen: 2 %

Color fastness:

Against dry rubbing according to

EN ISO 105-X12:

- ≥ 4 (Scale 1-5)

Gegen Licht nach EN ISO 105-B02

- ≥ 5-7 (Skala 1-8)

Against wet rubbing according to

EN ISO 105-X12:

- ≥ 3-4 (Scale 1-5)

Scheuerfestigkeit:

Martindale (Nach: EN ISO 12947-2):

- 50000 Touren

Schwerentflammbarkeit:

- EN 1021-1&2 - DIN 4102-1

B1- BS 5852 Crib 5- EN 13501-1;

B-s1, d0- NFP 92-503-507 M1- IMO

FTP Code 2010:

- DIN 4102-1 B1

- BS 5852 Crib 5

- EN 13501-1; B-s1, d0

- NFP 92-503-507 M1

- IMO FTP Code 2010: Part 8

Wartungsanweisungen:



For further information:

Svensson
511 82 Kinna, Sweden

T: +46 320 20 92 00

F: +46 320 21 10 10

E: info@ludvigsvensson.com

